OTHER VALVES AND VALVES PARTS

BALL SEATS

	Name	Material	Temperature Rating
	PTFE	Virgin PTFE	-10°C~+120°C
0	TFM1600	Chemically Modified PTFE	-29°C~+230°C
0	25%	25% Carbon Filled PTFE	-10°C~+250°C
0	50/50	50% Stainless Steel Powder Filled PTFE	-10°C~+280°C
0	PEEK	Virgin PEEK	RT~+300°C
	Cavity Filled Seat	Virgin PTFE	-10°C~+120°C
0	PCTFE	Fluorocarbon Based Polymer	-196°C~+65°C

Note: The above data is given for reference only.

Please refer to our Pressure-Temperature Ratings fo check the actual working conditions. (See page 55 to 60).